



# T SERIES

Premium Battery Electric Coach




# T SERIES

## T12E



Length[mm]	12245	Width[mm]	2550
Height[mm]	3710	Wheelbase[mm]	6090




Number of Seats: 47+1+1

## T14E



Length[mm]	13970	Width[mm]	2550
Height[mm]	3900	Wheelbase[mm]	7100+1515




Number of Seats: 57+1+1

## T15E



Length[mm]	14950	Width[mm]	2550
Height[mm]	3900	Wheelbase[mm]	7100+1515



Number of Seats: 61+1+1

# SPECIFICATIONS

	T12E	T14E	T15E
<b>Basic parameters</b>			
L (mm)	12245	13970	14950
W (mm)	2550	2550	2550
H (mm)	3710	3900	3900
Wheelbase (mm)	6090	7100+1515	7100+1515
Tire	295/80R22.5	295/80R22.5	295/80R22.5
Max speed (km/h)	100	100	100
Max number of seats	up to 49 (47+1+1)	up to 59 (57+1+1)	up to 63 (61+1+1)
Max luggage compartment capacity (m <sup>3</sup> )	up to 4.5	up to 8	up to 8.5
Max manufacturer's total mass (kg)	18800	25000	25500
Front/middle/rear axle (kg)	7300/11500	7200/11500/6300	7300/11500/6700
Floor type	Sunken aisle	Sunken aisle	Sunken aisle
<b>Electric powertrain system</b>			
Traction battery (kWh)	up to 465.99	up to 621.33	up to 621.33
Rated power 1(kW)	215	430	250
Rated power 2 (kW)	250	250	430
Max gradeability 1	12%	20%	15%
Max gradeability 2	20%	15%	19%
Single plug	●	●	●
Dual-plug	○	○	○
Charging plug current (250A)	●	●	●
Charging plug current (500A)	○	○	○
Emergency Assist for Pedal Misapplication (EAPM)	●	●	●
Intelligent power control	●	●	●
<b>Seat</b>			
Passenger seat (standard)	●	●	●
Passenger seat (plus)	○	○	○
3-point belt passenger seat	●	●	●
Wheelchair area	○	○	○
Yutong standard driver seat	●	●	●
Yutong electric driver seat	○	○	○

	T12E	T14E	T15E
ISRI driver seat	○	○	○
Tour guide seat	●	●	●
<b>Interior</b>			
Soft cloth vertical strip curtain	●	●	●
Roller window shades	○	○	○
Built-in refrigerator at dashboard	●	●	●
Driver partition	—	○	○
Wheelchair lifting device	○	○	○
Interior luggage rack	●	●	●
Toilet	●	●	●
Roof hatch	●	●	●
<b>Exterior</b>			
Passenger door	1-1	1-1	1-1
Insulated side window glass	●	●	●
Power driver window	●	●	●
Standard front windshield glass	●	●	●
Electric heating front windshield	○	○	○
Luggage compartment upward sliding door	●	●	●
<b>Climate control system</b>			
Heating and cooling	●	●	●
Heating system	●	●	●
Cooling/heating defroster	●	●	●
<b>Chassis</b>			
Front axle	ZF	ZF	ZF
Drive axle	ZF	ZF	ZF
Third axle	—	ZF	ZF
Air suspension	●	●	●
ECAS	●	●	●
Steering wheel position	LHD	LHD	LHD
EPB	●	●	●

	T12E	T14E	T15E
<b>Safety and driver assistance system</b>			
Electronic Braking System (EBS)	●	●	●
Electronic Stability Control (ESC) System	●	●	●
Advanced Emergency Braking System (AEBS)	●	●	●
Lane Departure Warning System (LDWS)	●	●	●
Intelligent Speed Assistance (ISA)	●	●	●
Blind Spot Information System (BSIS)	●	●	●
Moving Off Information System (MOIS)	●	●	●
Driver Drowsiness and Attention Warning (DDAW)	●	●	●
Alcolock (reserved) *	●	●	●
Tire Pressure Monitoring System (TPMS)	●	●	●
360° panoramic view system	○	○	○
Electronic rearview mirror	○	○	○
Reversing radar	●	●	●
Intelligent wiper and headlamp	●	●	●
<b>Audio-video entertainment and lighting</b>			
Intelligent cockpit	○	○	●
Microphone	●	●	●
On-board Wi-Fi	○	○	○
Headlamp, LED	●	●	●

● Standard ○ Optional — N/A

# ADVANCED DRIVER ASSISTANCE SYSTEM

---

## Electronic Braking System (EBS)

EBS is an intelligent braking system that controls braking via electronic signals. It precisely, rapidly, and collaboratively controls vehicle braking, greatly enhancing braking safety and stability. It's also an advanced version of ABS/ASR.

---

## Electronic Stability Control (ESC) System

ESC is an active safety system that prevents skidding, drifting, and loss of vehicle control by automatically adjusting wheel braking force and engine power to enhance driving stability and safety.

---

## Advanced Emergency Braking System (AEBS)

AEBS is an active safety system that monitors obstacles ahead through sensors such as radar and camera, automatically triggers braking when the driver fails to react in time, to prevent or mitigate collisions.

---

---

## Lane Departure Warning System (LDWS)

LDWS is a safety assistance system that detects unintentional lane deviations and alerts the driver through visual/audible warnings to prevent lane departure accidents.

---

## Intelligent Speed Assist (ISA)

ISA automatically detects the legal speed limit for the current road section and helps drivers avoid overspeeding through alerts or interventions, enhancing both safety and compliance.

---

## Blind Spot Information System (BSIS)

BSIS monitors vehicle blind spots on both sides and rear through onboard sensors. When detecting moving objects like vehicles or non-motor vehicles in these areas, it alerts the driver via visual/audible warnings to prevent collisions during lane changes or turns. The system provides warnings only.

---

---

## Moving Off Information System (MOIS)

MOIS is an assistive warning system that monitors real-time road and environmental conditions, providing early risk alerts, and enhancing driving safety.

---

## Driver Drowsiness and Attention Warning (DDAW)

DDAW monitors driver fatigue and attention levels in real time, providing audio/visual/tactile warnings in advance and reducing the risk of accidents caused by fatigue driving.

---



## Yutong Bus Co., Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China,  
Tel: +86 371 6671 8999 Website: [www.yutong.com](http://www.yutong.com) E-mail: [sales@yutong.com](mailto:sales@yutong.com) Follow us on Facebook & X & YouTube at Yutong Bus & Coach  
The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.  
Yutong reserves the right to change product specifications without prior notice. All rights reserved. January, 2026 Edition.